

# Portable Power GK-2000<sup>⚡</sup>



- 2000W
- 1997Wh
- LiFePo4
- AC Input 1100W
- MPPT Input 500W



Over-charge protection



Over-temperature protection



Over-voltage protection



Short-circuit protection



Over-current protection



DC auto-sleep



Pure sine wave



Long life span

<b>Model:</b>	
Capacity:	1997Wh
TYPE-C Output:	100max*1/20max*3
AC charging:	50/60HZ 1100Wmax
AC output:	Rated 2000W,Peak 4000W
MPPT input:	11.5-50V20A below 500Wmax
USB:	USD-A(5V2.4A)*2
DC5521:	12V/3A*2
Cigar lighter output:	12V/10A
Cell:	LiFePo4
Operation temperature:	-10-40 °C
Charging temperature:	0-40 °C
Weight:	22kg
Size:	392*279*323mm
AC Waveform:	Pure Sine Wave



Fully Charged in 1.5-2 Hours Via AC only



Fully Charged in 4-5 Hours Via your solar only



Capable to Charge 13 Devices Simultaneously



95% Inverter Efficiency



95% of DOD (Depth of Discharge)



V0 Level of Fire protection materials



UL certified LFP cell to supply long life span








PD100 support PD 3.0,QC 3.0,FCP,AFC,Apple 2.4A



# Suitable For A Wide Range Of Appliances

Make Your Life More Convenient

	Name	Depletion	GK-1200 Hour/Times	GK-2000 Hour/Times
	Phone	1.8Ah-3Ah	100 Charges	200 Charges
	Drone	60-70W	17 Charges	34 Charges
	Mini Cooker	500W	2+ Hours	4+ Hours
	Router	10Wh	115+ Hours	230+ Hours
	CPAP	40W	20 Hours	40 Hours
	Notebook	30Wh	40+ Charges	80+ Charges
	Camera	16Wh	50+ Charges	100+ Charges
	LED Light	10W	100 Hours	200 Hours
	TV	110W	9 Hours	18 Hours
	Oven rack	250W	5 Hours	10 Hours
	Laptop	60W	24+ Charges	48+ Charges
	Mini Fridge	100W	12 Hours	24 Hours
	Fan	550W	2 Hours	4 Hours
	Blender	150W	6+ Hours	12+ Hours
	Switch	16Wh	60 Hours	120 Hours

Environment, temperature, method of use and other factors will affect the actual use time!